

Moxonidine Tablets	Moxonidine Tablets
निदिटैब 0.2 10 X 10 TABLETS	निदिटैब 0.3 10 X 10 TABLETS
Composition : CAITION Each film coated tablet contains : Moxonidine BP 0.2 mg Moxonidine BP 0.2 mg Vector State St	Composition: EAUTOR Each film coated tablet contains : Moxonding BP 0.3 mg Moxonding BP 0.3 mg Not table sold y what what he prescribion of a Repaired Medical Pactnew Colours : Ferric Oxide Red USP-NF and Titanium Dioxide IP Storage : As directed by the Physician. Not fact factor of the Physician. Storage : Store in cool, dry & dark place. Maufractured by: Maufractured by: At emperature not exceeding 25°C. Protect from direct sunlight. Maufractured by: Keep the medicine out of reach of children. Hardwar-249403, Uttarakhand.

Niditab (Moxonidine 0.2 mg / 0.3 mg Tablet)

Product Overview: Niditab is a medication containing Moxonidine, an antihypertensive agent used to manage high blood pressure. It helps to lower blood pressure by affecting the central nervous system, which can help reduce the risk of complications related to hypertension.

Drug Class:

• Moxonidine: Central Alpha-2 Adrenergic Agonist

Indications and Uses: Niditab is indicated for:

- Management of hypertension (high blood pressure) in adults.
- Reducing the risk of cardiovascular complications associated with high blood pressure.

Dosage and Administration:

- Adults: The usual starting dose is 0.2 mg once daily, which may be adjusted based on the patient's response. The dose can be increased to 0.3 mg once daily if necessary.
- Administration: Take the tablet with or without food, ideally at the same time each day.
- **Important:** Always follow your healthcare provider's instructions regarding dosage and treatment duration.

Common Side Effects:

- Dry mouth
- Drowsiness or fatigue
- Dizziness
- Headache

Less Common Side Effects:

- Nausea
- Insomnia
- Low blood pressure (hypotension)
- Allergic reactions (rash, itching)

Warnings and Precautions:

- Do not exceed the recommended dosage.
- Monitor blood pressure regularly while on this medication.

- Inform your doctor about any other medications or supplements you are taking.
- Use with caution in patients with a history of heart disease or kidney problems.
- Pregnant or breastfeeding women should consult their healthcare provider before using this medication.

Drug Interactions:

• Niditab may interact with other antihypertensive agents, sedatives, and medications that affect the central nervous system. Inform your healthcare provider of all other medications you are taking.

Contraindications:

- Hypersensitivity to Moxonidine or any components of the product.
- Severe liver or kidney impairment.
- Patients with a history of severe depression.

Dos and Don'ts: Dos:

- Take the medication as prescribed by your healthcare provider.
- Regularly check your blood pressure as directed.
- Inform your doctor if you experience any side effects or new symptoms.

Don'ts:

- Do not take more than the prescribed dose.
- Avoid abrupt discontinuation of the medication without consulting your doctor.

Before Taking Niditab:

- Discuss your complete medical history with your doctor, including any allergies, existing health conditions, and current medications.
- Inform your doctor if you are pregnant, planning to become pregnant, or are breastfeeding.

Disclaimer: This information is provided for educational purposes only and should not be used for self-medication. Always consult your doctor for appropriate medical advice and treatment. Do not alter the dosage prescribed by your healthcare provider.

Quality Product from Econ Healthcare

Contact Information:

- Address: 11, First Floor, Science City Road, Sola, Ahmedabad
- **Phone:** +91 635-6666-700
- Email: info@econhealthcare.net
- Website: <u>www.econhealthcare.net</u>

All rights reserved to Econ Healthcare