



Rx Metoprolol Succinate Extended Release Tablets IP Metlio XL-50 मेटलियो एक्सएल-50 Tablets 10 x 10 Tablets	
Metlio XL-50 मेटलियो एक्सएल-50 Tablets Composition : Each film coated extended release tablet contains : Metoprolol Succinate IP 50 mg Excipients q.s. Colour : Titanium Dioxide IP Dosage : As directed by the Physician. Store in a cool, dry & dark place. Protect from light & moisture.	Keep out of reach of children. Tablet should be swallowed as whole, not to be chewed or crushed. SCHEDULE H PRESCRIPTION DRUG : CAUTION : Not to be sold by retail without the prescription of a Registered Medical Practitioner. Manufactured by: Mascot Health Series Pvt. Ltd. At-Plot No. 52, Sec-6A, IIE, Sidecul, Haridwar-249403, Uttarakhand.

Brand Name: METLIO XL-50 TAB

Active Ingredient: Metoprolol Succinate 50mg

General Information: METLIO XL-50 TAB contains **Metoprolol Succinate**, a beta-blocker used to treat conditions such as high blood pressure (hypertension), angina (chest pain), and heart failure. It helps to relax blood vessels, reduce the heart rate, and decrease the heart's workload, improving heart function and reducing the risk of heart attacks and strokes.

Class: Beta-blocker

Indications and Uses:

- Treatment of high blood pressure
- Management of chronic heart failure
- Prevention of angina (chest pain)
- Treatment of certain heart rhythm disorders

Common Side Effects:

- Dizziness or lightheadedness
- Fatigue or tiredness
- Slower heart rate
- Cold hands or feet

- Shortness of breath

Less Common Side Effects:

- Sleep disturbances (e.g., insomnia)
- Depression or mood changes
- Swelling of the ankles or feet
- Stomach upset or nausea

Dosage and Administration:

- Take one tablet of METLIO XL-50 TAB daily, as prescribed by your doctor.
- The tablet should be swallowed whole with water and not crushed or chewed.
- Take with or without food, preferably at the same time each day.

Warnings and Precautions:

- Do not stop taking METLIO XL-50 TAB abruptly, as it may worsen your condition.
- Monitor your blood pressure regularly while on this medication.
- Use with caution in patients with a history of asthma, bronchitis, or other breathing problems.
- Consult your doctor before use if you have diabetes, as Metoprolol can mask symptoms of low blood sugar.
- Pregnant or breastfeeding women should consult their doctor before use.

Drug Interactions:

- May interact with other medications including calcium channel blockers, antiarrhythmic drugs, and certain antidepressants.
- Inform your doctor of all medications you are currently taking, including prescription, over-the-counter medicines, and herbal supplements.

Contraindications:

- Contraindicated in patients with severe bradycardia (slow heart rate), heart block, or certain heart conditions.
- Not recommended for use in patients with severe liver disease or allergies to Metoprolol.

Dos and Don'ts:

- **Do** follow your doctor's instructions for dosage and administration.
- **Do** monitor your blood pressure and heart rate regularly while on this medication.
- **Don't** suddenly discontinue the medication without consulting your doctor.
- **Don't** drive or operate heavy machinery if you experience dizziness or drowsiness.

Before Taking:

- Before taking METLIO XL-50 TAB, inform your doctor if you have any other medical conditions, including heart disease, liver issues, or respiratory problems.
- Always tell your doctor about any medications you are taking, including over-the-counter drugs, vitamins, or herbal supplements.

Quality Assurance: METLIO XL-50 TAB is a high-quality product from **Econ Healthcare Pvt Ltd**, designed to provide reliable results while ensuring patient safety.

Contact Information: For more information, please contact **Econ Healthcare Pvt Ltd**

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 635-6666-700

Email: info@econhealthcare.net

Website: www.econhealthcare.net

Disclaimer: This information is intended for general guidance and must be consumed only under the supervision of your healthcare provider. Always follow the prescribed dosage and consult your doctor before making any changes to your treatment plan.

All rights reserved to Econ Healthcare Pvt Ltd.